## Form – IV (See rule13) ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30<sup>th</sup> June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No	Particulars		a x
1.	Particulars of the Occupier	1	
110	(i) Name of the authorised person (occupier or : operator of facility)		Mr Amit Singh. Resident Brector
	(ii) Name of HCF or CBMWTF	:	Bunjab Institute of Medial
	(iii) Address for Correspondence		Sciences PIMS Medical & Educational Chautable Striety Courts Rood Solandhay Rugges - 144006. India PIMS Medical & Educational
	(iv) Address of Facility		Valandrai Liniap-14006
	(v)Tel. No, Fax. No	:	0187-6606000, 91-181-2480736
	(vi) E-mail ID	;	EmitsPrgh. Pims @gnail. com
	(vii) URL of Website		www.pimsj.com
	(viii) GPS coordinates of HCF or CBMWTF		hatitude - 31-18'27N Longitude - 75-35'35
	(ix) Ownership of HCF or CBMWTF	:	(State Government or Private or Semi Govt. or any other) Public Durvate, Lournership (Pri
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	:	Authorisation Applied for No.: Ref. No - 7259106 dated 163 2018
	(xi), Status of Consents under Water Act and Air Act	:	Valid up to: Noter Act - 30.06.2019 Air Act - 30.06.2019
2.	Type of Health Care Facility	:	
	(i) Bedded Hospital		No. of Beds: 75 D
	(ii) Non-bedded hospital	:	

	(Clinic or Blood Bank or Clinical y or Research Institute or Veterinary Hospital or any other)		
	(iii) License number and its date of expiry		
3.	Details of CBMWTF	:	NA
	(i) Number healthcare facilities covered by CBMWTF	:	
	(ii) No of beds covered by CBMWTF	:	
	(iii) Installed treatment and disposal capacity of CBMWTF:	:	Kg per day
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	:	Kg/day
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	Yellow Category: 11823kg o 179ms  Red Category: 8344kg o 969m  White: 282kg o 999m  Blue Category: 5410kg o 429ms  General Solid waste: 109000kgs
5	Details of the Storage, treatment, transportation, pr	rocess	ing and Disposal Facility
	(i) Details of the site storage : Size	9	NA
	facility	ity:	NA
			f on-site storage : (cold storage or ovision)

disposal facilities		Type of treatment equipment	No of	Cap acit	Quantity treatedo
			unit s	y Kg/ day	r disposed in kg
17.50		TA 5 1 8			per annum
5 1 2		Incinerators Plasma Pyrolysis			
	= }	Autoclaves Microwave Hydroclave			NA
		Shredder Needle tip cutter or			
		destroyer Sharps		#3	
a 8 a		encapsulation or concrete pit			
* I A		Deep burial pits: Chemical disinfection:		i4 	
		Any other treatment equipment:			
(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	:	Red Category (like plas	tic, gla	ss etc.)	
(iv) No of vehicles used for collection and transportation of biomedical waste	:	NA .			8
(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum		Quan gener Incineration — NA Ash — NA ETP Sludge — 78	ated O Kg	di:	here sposed
(vi) Name of the Common Bio-: Medical Waste Treatment Facility Operator through which wastes are disposed of		Bio-Medical n Plant Prts Utd, Rathankiet,	Villa	ge - 1	atment angoli,
(vii) List of member HCF not handed over bio-medical waste.		NA	194		1.
Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period		Yes, the bio-mo ment committee attochement - A	edilor estal nnext	Ima 1. Ru vie-	ate mai Lase fi I
Details trainings conducted on BMW	4	K 1	=235		
(i) Number of trainings conducted on		14			

	(ii) number of personnel trained		315
	(iii) number of personnel trained at the time of induction		61
	(iv) number of personnel not undergone any training so far		NIL
	(v) whether standard manual for training is available?		Available
1	(vi) any other information)		
3	Details of the accident occurred during the year		to the second se
1	(i) Number of Accidents occurred	Ų.	NIL
	(ii) Number of the persons affected		-
	(iii) Remedial Action taken (Please attach details if any)		-
- 3	(iv) Any Fatality occurred, details.		-
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?		NA
	Details of Continuous online emission monitoring systems installed		NA TO THE ME AS
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?		The organization meets all the standards of the liquid waste generated and als treatment before disposal.
11			Yes, theorganisation is meeting with the log 4 standards of disinfection taid claus by WHD.
12		:	(Air Pollution Control Devices attached with the Incinerator) - NA

d that the above report is for the period			
D 10	1.2018	to 31.12.2018	
	deples a design ded a const		
			000
		for Flat Medich a Coll	Shippy Mairon
1000 j.		and Signature of the Head	11

Date: Place Jalandhai