

PIMS Medical & Education Charitable Society

Garha Road, Jalandhar (Punjab) 144006 India. Ph.: 0181-6606000 Telefax: +91-181-2480736 / contact@pimsj.com

Date: 23.11.2023

To, **The Additional Director** Ministry of Environment, Forest and Climate Change, Regional Office (North), Government of India, Bay No. 24-25, Sector-31A, Chandigarh. (Mail ids: <u>eccompliance-nro@gov.in</u> and <u>ronz.chd-mef@nic.in</u>)

Subject: Submission of Six monthly compliance report for period ending 30.09.2023 for the Project namely "Punjab Institute of Medical Science" (PIMS) located at Garha Road, Jalandhar, Punjab by M/s PIMS Medical and Educational Charitable Society.

Sir,

With reference to the EIA Notification & its amendments regarding submission of six monthly compliance report. We are hereby submitting the six monthly compliance report for period ending 30.09.2023 for the above said project through e-mail for your perusal.

Kindly acknowledge the receipt of the same. Thanking you.

Sincerely

For M/s PIMS Medical and Educational Charitable Society

(Authorized Signatory) Name: Amit Singh Contact No.: 99885-53333 Designation: Resident Director Email: aseem.bhasin@pimsj.com

CC: Member Secretary, SEIAA Punjab, Directorate of Environment and Climate Change, C/o Punjab State Council for Science & Technology, MGSIPA Complex, Sector 26, Chandigarh-160019 (e-mail: <u>seiaapb2017@gmail.com</u>)

Run in PPP mode by PIMS Medical & Education Charitable Society

Registered Office : SCO 160-61, Sector - 9C, Chandigarh - 160 009 Phone No. 0172-4090900 Fax No. 0172-4691801 Society Registration # 4004/2009 | www.pimsj.com



SIX MONTHLY COMPLIANCE REPORT (Period ending 30.09.2023)

For

Punjab Institute of Medical Science Garha Road, Jalandhar, Punjab.

Project By: M/s PIMS Medical and Education Charitable Society Punjab Institute of Medical Sciences, 5th Floor, Garha Road, Jalandhar, Punjab (144006)

Prepared by:



Eco Paryavaran Laboratories and Consultants Private Limited E-207, Industrial Area, Phase-VIIIB (Sector-74), Mohali (SAS Nagar), Punjab 160071 Tele No.: 0172-4616225 email: simran@ecoparyavaran.org M: 098140-03103, 088720-43178

www.ecoparyavaran.org

Compliance report on conditions imposed in Environmental Clearance for period ending

30.09.2023

PART A – Conditions common	for all the	three phases	i.e. Pre-Construction	Phase,
Construction Phase and Operation	ı Phase & Er	tire Life:		

S. No.	EC Conditions	Reply
i.	Any appeal against this environmental	Not applicable, as 30 days' time period has
	clearance shall lie with the National Green	been over and no appeal was made.
	Tribunal, if preferred, within a period of 30	
	days as prescribed under Section 16 of the	
	National Green Tribunal Act, 2010.	
ii.	A first aid room will be provided in the	First aid room will be provided at
	project both during construction and	construction site and will remain during
	operation phase of the project.	operational phase also.
iii.	Construction of the STP, solid waste, e-	All the provisions such as STP, solid waste,
	waste, hazardous waste, storage facilities	e-waste, hazardous waste, storage facilities
	tubewell, DG Sets, Utilities etc., earmarked	Tubewell, DG Sets, Utilities etc., will be
	by the project proponent on the layout plan,	placed at designated locations as per the
	should be made in the earmarked area only.	approved layout plan.
	In any case the position/location of these	
	utilities should not be changed later-on.	
iv.	The environmental safeguards contained in	Environmental safeguards will be
	the application of the promoter/mentioned	implemented in true letter and spirit.
	during the presentation before State Level	
	Environment Impact Assessment	
	Authority/ State Expert Appraisal	
	Committee should be implemented in letter	
	and spirit.	
v.	Ambient air & noise levels should conform	Monitoring of ambient air & noise has been
	to prescribed standards both during day and	done on half yearly basis by NABL
	night. Incremental pollution loads on the	accredited laboratory and results are found
	ambient air quality, noise especially during	within permissible limit. Test report are
	worst noise generating activities, water	enclosed as Annexure 3.
	quality and soil should be periodically	During construction phase, proper
	monitored during construction phase as	mitigation measures will be taken at the
	well as operation & entire life phase as per	construction site to avoid noise and air
	the Ministry of Environment, Forests &	pollution.
	Climate Change guidelines and all the	
	mitigation measures should be taken to	
	bring down the levels within the	
	prescribed standards.	

vi.	All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department, Forest (Conservation) Act, 1980 and Wildlife (Protection) Act, 1972 etc. shall be obtained, by project proponents from the competent authorities including Punjab Pollution Control Board and from other statutory bodies as applicable.	 All the necessary statutory clearances will be obtained from concerned departments as and when required. Following approvals have been obtained so far: NOC for height clearance has been obtained; copy of the same is attached as Annexure 4. Also, existing project has already obtained required approvals. Such as: Consent to Operate has been obtained from PPCB; copy of the same is enclosed as Annexure 5. Bio-Medical Waste Authorization has been obtained from PPCB
vii	The State Environment Impact Assessment Authority, Punjab reserves the right to add additional safeguards/ measures subsequently, if found necessary, and to take action including revoking of the environmental clearance under the provisions of the Environmental (Protection) Act, 1986, to ensure effective implementation of the suggested safeguards/ measures in a time bound and satisfactory manner.	Agreed.
viii	A proper record showing compliance of all the conditions of environmental clearance shall be maintained and made available at site at all the times.	Agreed. Proper record of compliance will be maintained and made available at construction site.
ix.	The project proponent shall also submit half yearly compliance reports in respect of the stipulated prior environmental clearance terms & conditions including results of monitored data (both in hard &soft copies) to the respective Regional office of MoEF&CC, the Zonal Office of CPCB, the SPCB and SEIAA, Punjab on 1 st June and 1 st December of each calendar year.	Agreed. Six monthly compliance reports are being submitted regularly. E-mail screenshot showing submission of previous six monthly compliance report for period ending 31.03.2023 to RO, MoEF&CC is attached along as Annexure 6 .

X.	Officials from the Regional Office of	Agreed. Full cooperation, facilities and
	Ministry of Environment & Forests,	documents/ data will be given to the
	Chandigarh/ State Level Environment	officials during their visit and
	Impact Assessment Authority/ State Level	environmental safeguards will be
	Expert Appraisal Committee/ Punjab	implemented.
	Pollution Control Board who would be	I
	monitoring the implementation of	
	environmental safeguards should be given	
	full cooperation, facilities and documents/	
	data by the project proponents during their	
	inspection. A complete set of all the	
	documents submitted to State Environment	
	Impact Assessment Authority should be	
	forwarded to the APCCF, Regional Office	
	of Ministry of Environment & Forests,	
	Chandigarh.	
xi.	In the case of any change(s) in the scope of	Agreed. Fresh application will be submitted
лі.	the project, the project would require a	to SEIAA, Punjab, if there will be any
	fresh appraisal by State Environment	change in the scope of work.
	Impact Assessment Authority, Punjab.	change in the scope of work.
xii	Environmental clearance is subject to final	Agreed.
	order of the Hon'ble Supreme Court of	Agreeu.
	India in the matter of Goa Foundation Vs.	
	Union of India in Writ Petition (Civil) No.	
	460 of 2004 as may be applicable to this	
	project and decisions of any Competent	
	Court, to the extent applicable.	
xiii	•••	Agreed. EC letter has been uploaded on the
лш	compliance of the stipulated EC conditions,	website of the institute. Screenshot showing
	including results of monitored data on their	the same is enclosed as Annexure 7 .
	website and shall update the same	Further, environment data board will be
	periodically. It shall simultaneously be sent	provided at convenient location at the
	to the Regional Office of MoEF&CC,	construction site mentioning the details of
	SEIAA, Punjab the respective Zonal Office	criteria pollutants.
	° 1	cinena ponutants.
	of CPCB and the SPCB. The criteria	
	pollutant levels for all the parameters of NAAQM standards shall be monitored and	
	displayed at a convenient location near the	
	main gate of the company in the public domain.	
xiv		Agreed Inlet and outlat point of natural
XIV	The inlet and outlet point of natural drain	Agreed. Inlet and outlet point of natural drain system will be maintained with
	system should be maintained with adequate	drain system will be maintained with
	size of channel for ensuring unrestricted	adequate size of channel for ensuring
	flow of water.	unrestricted flow of water.

XV	The unpaved area shall be more than or	Agreed.
	equal to 20% of the recreational open	
	spaces.	
xvi	The project proponent shall ensure that the	Agreed.
	E-waste will be collected and disposed of	
	the same through authorized vendors	
	according to the new rules of E-waste	
	Management, 2016.	

Part B - Specific conditions

I. Pre-Construction Phase

S. No.	EC Conditions	Reply
i.	"Consent to establish" shall be obtained	Agreed. Consent to Establish for
	from Punjab Pollution Control Board under	Expansion will be obtained from Punjab
	Air (Prevention & Control of Pollution)	Pollution Control prior to start of
	Act 1981 and Water (Prevention & Control	construction.
	of Pollution) Act 1974 and a copy of the	
	same shall be submitted to the Ministry of	
	Environment & Forest/ State level	
	Environment Impact Assessment	
	Authority before the start of any	
	construction work at the site.	
ii.	All required sanitary and hygienic	Agreed. Appropriate sanitary and hygienic
	measures should be in place before starting	measures will be provided and maintained
	construction activities and to be	in accordance with the required standards.
	maintained throughout the construction	
	phase.	
iii.	The approval of competent authority shall	Agreed. Building will be designed in a
	be obtained for structural safety of the	way that it will be earthquake resistant as
	buildings due to earthquakes, adequacy of	per the NBC norms.
	firefighting equipments etc. as per	
	National Building Code including	
	protection measures from lightening.	
iv.	Provision shall be made for the housing of	Agreed. All necessary facilities will be
	construction labor within the site with all	provided to construction workers, such as
	necessary infrastructure and facilities such	temporary hutments, clean drinking water,
	as fuel for cooking, mobile toilets, mobile	medical health care etc.
	STP, disposal of wastewater & solid waste	
	in an environmentally sound manner, safe	
	drinking water, medical health care, crèche	
	etc. The housing may be in the form of	
	temporary structures to be removed after	
	the completion of the project.	

II	Construction Phase:	
S. No.	EC Conditions	Reply
i.	All the topsoil excavated during construction	Agreed. Excavated top soil during
	activities should be stored for use in	construction activities will be used for
	horticulture/ landscape development within	landscaping within the project premises.
	the project site.	
ii.	Disposal of muck during construction phase	Agreed. Muck will be disposed without
	should not create any adverse effect on the	causing any adverse effect on the
	neighboring communities and be disposed off	neighboring communities and taking
	after taking the necessary precautions for	necessary precautions for general safety
	general safety and health aspects of people,	and health aspects of people.
	with the approval of competent authority. The	Also, dust mitigation measures like
	project proponent will comply with the	provision of tarpaulin sheets,
	provisions of Construction & Demolition Wester Pulse 2016 Dust smoke & debrie	barricading of construction site, regular
	Waste Rules, 2016. Dust, smoke &debris prevention measures such as wheel washing,	water sprinkling with treated water etc. will be done to minimize the impact on
	screens, barricading and debris chute shall be	the environment.
	installed at the site during construction	
	including plastic/ tarpaulin sheet covers for	
	trucks bringing in sand & material at the site.	
iii.	Construction spoils, including bituminous	Agreed. Construction spoils, including
	material and other hazardous materials, must	bituminous material and other
	not be allowed to contaminate water courses.	hazardous materials, will be disposed
	Dump sites for such material must be secured,	off safely without causing impact on the
	so that they should not leach into	environment.
	groundwater.	
iv.	Vehicles hired for bringing construction	-
	materials to the site and other machinery to be	
	used during construction should be in good	monitored for the pollution levels and
	condition and should conform to applicable air	must be having valid PUC certificate.
	and noise emission standards.	A ground Only transfer a sector section and the
v.	The project proponent shall use only treated	Agreed. Only treated water will be used
	sewage/ wastewater for construction activities and no fresh water for this purpose will be	for the construction purpose.
	used. A proper record in this regard should be	
	maintained and available at site.	
vi.	Fly ash based construction material should be	Agreed. PPC cement will be used for
,	used in the construction as per the provisions	construction purpose which constitute
	of Fly Ash Notification of September, 1999	of fly ash.
	and as amended on August, 2003 and	

	notification No. S.O. 2804 (E) dated 03.11.2009.	
vii.	Water demand during construction should be	Agreed. Ready mixed concrete, curing
	reduced by use of ready mixed concrete,	agents will be used to reduce water
	curing agents and other best practices.	demand during construction.
viii.		<u> </u>
VIII.	Adequate treatment facility for drinking water	Agreed. Clean drinking facilities will be
	shall be provided, if required.	provided to workers at construction site.
ix.	The project proponent shall provide	Agreed. Electromagnetic flow meter
	electromagnetic flow meter at the outlet of the	will be provided at the outlet of the water
	water supply, outlet of the STP and any	supply and outlet of the STP and records
	pipeline to be used for re-using the treated	of the same will be maintained.
	wastewater back into the system for flushing	
	and for horticulture purpose/green etc.	
X	The project proponent will provide dual	Agreed. Dual plumbing system will be
	plumbing system for reuse of treated	provided and color coding will be done as
	wastewater for flushing/ HVAC purposes etc.	mentioned.
	and color coding of different pipe lines	
	carrying water/ wastewater/ treated	
	wastewater as follows:	
	(i) Fresh water: Blue	
	(i) Untreated wastewater: Black	
	(iii) Treated wastewater: Green (for reuse)	
	(iii) Treated wastewater: Green (for redse) (iv) Treated wastewater: Yellow (discharge)	
	(iv) Treated wastewater. Tenow (discharge) (v) Storm water : Orange	
xi		A gread I any flow first year for showing
XI	Fixtures for showers, toilet flushing and drinking should be of low flow either by use	Agreed. Low flow fixtures for showers,
	drinking should be of low flow either by use	toilet flushing and drinking will be
	of aerators or pressure reducing devices or	provided within the project to reduce
	sensor based control.	water consumption.
xii	Separation of drinking water supply and	Agreed. Dual plumbing system will be
	treated sewage supply should be done by the	provided and different color coding
	use of different colors.	will be done.
xiii	The waste water generated from labor toilets	Domestic wastewater generated from
	during construction phase will be treated in	the labor toilets will be treated in the
	existing ETP/STP in the institute.	existing STP provided in the institute.
xiv	a) Adequate steps shall be taken to conserve	Agreed. Proper measures like
	energy by limiting the use of glass,	minimum use of glass, LED lights will
	provision of proper thermal insulation and	be adopted to conserve energy in the
	taking measures as prescribed under the	new buildings to be constructed.
	Energy Conservation Building Code and	
	National Building Code, 2005 on Energy	
	conservation.	
	b) Solar power plant shall be installed for	
	utilizing solar energy. Also, LED lights	

		
	shall be provided as proposed for	
	illumination of common areas instead of	
	CFL lights.	
XV	The diesel generator sets to be used during	Agreed.
	construction phase should conform to the	
	provisions of Diesel Generator Set Rules	
	prescribed under the Environment	
	(Protection) Act, 1986.	
xvi	a) Separate wet & dry bins for common areas	Agreement has been done with M/s
	for facilitating segregation of waste,	B.M.W.T. Plant Pvt. Ltd. for collection,
	collection center and mechanical	transportation, treatment and disposal of
	composter shall be provided for proper	Bio-Medical Waste.
	collection, handling, storage, segregation,	
	treatment and disposal of solid waste.	
	b) Bio- Medical waste to be generated in the	
	hospital shall be handled and managed as	
	per the provision of Bio- Medical waste	
	(Management & Handling) Rules,2016.	
	c) Radioactive waste management program,	
	as submitted by the project proponent shall	
	be followed at the site at the site in order	
	to mitigate the effect coming out due to use	
	of atomic radiation in different	
	equipment's.	
xvii	Arainwater harvesting plan shall be designed	Agreed. Adequate no. of rainwater
	where the re-charge bores (minimum one per	recharging pits will be provided within
	5000 sq.m of built up area) shall be provided.	the project premises to recharge the
	Recharging wells for roof top run-off shall	ground water.
	have provision of adequate treatment for	
	removing suspended matter etc. before	
	recharging as per the CGWA guidelines. Run-	
	off from areas other than roof top such as	
	green areas and roads/pavement etc. may also	
	be recharged but only after providing	
	adequate treatment to remove suspended	
	matter, oil & grease etc. and ensuring that	
	rainwater being recharged from these areas is	
	not contaminated with pesticides, insecticides,	
	chemical fertilizer etc.	
xvii	Green belt of adequate width as proposed	Agreed. Adequate green area has been
ΛΫΠ	shall be provided so as to achieve attenuation	provided in the existing project.
	-	
	factor conforming to the day & night standards	Photographs showing the existing green
	prescribed for residential land use. The open	area is attached along as Annexure 2 .
	spaces inside the plot should be suitably	Further, after expansion also, adequate

landscaped and covered with vegetation of	green area will be provided.
indigenous species/variety. A minimum of one	
tree for every 80 sq.m of land shall be planted	
and maintained. The existing trees may be	
counted for this purpose. Preference should be	
given to planting native species. Where the	
trees need to be cut, compensatory plantation	
in the ratio of 1:3 (i.e. planting of three trees	
for every one tree that is cut) shall be done	
with the obligation to continue maintenance.	

III. Operation Phase and Entire Life: Not applicable, as expansion of the project has not started.

I.	Pre-Construction Phase	
S. No.	EC Conditions	Reply
i.	This environmental clearance will be valid for	EC letter has been issued vide Letter No.
	a period of seven years from the date of its	SEIAA/2017/459 dated 03.05.2017
	issue or till the completion of the project,	and is valid till 02.05.2027 as per the
	whichever is earlier.	EIA Notification & its amendment.
ii.	The project proponent should advertise in at	Agreed.
	least two local newspapers widely circulated	
	in the region, one of which shall be in the	
	vernacular language informing that the project	
	has been accorded environmental clearance	
	and copies of clearance letters are available	
	with the Punjab Pollution Control Board. The	
	advertisement should be made within seven	
	days from the day of issue of the clearance	
	letter and a copy of the same should be	
	forwarded to the Regional Office, Ministry of	
	Environment & Forests, Chandigarh and	
	SEIAA, Punjab.	
iii.	The project proponent shall obtain permission	Agreed. Application will be submitted
	from the CGWA for abstraction of	to PWRDA for seeking permission for
	groundwater & digging of bore well (s) and	abstraction of ground water.
	shall not abstract any groundwater without	
	prior written permission of the CGWA, even	
	if any bore well (s) exist at site.	
iv.	A copy of the clearance letter shall be sent by	Agreed.
	the proponent to concerned Panchayat, Zila	
	Parishad/ Municipal Corporation, Urban local	
	body and the local NGO, if any, from whom	
	suggestions/ representations, if any, were	
	received while processing the proposal. The	

PART C – General Conditions:

I. Pre-Construction Phase

clearance letter shall also be put on the website of the Company by the proponent.	

II.	Construction Phase	
S. No.	EC Conditions	Reply
i.	The project proponent shall adhere to the	Although, expansion of the project has
	commitments made in the Environment	not been initiated w.r.t expansion. The
	Management Plan for the construction phase	same shall be complied after start of
	shall spend minimum amount of Rs.215.50	expansion work w.r.t EC granted.
	lacs towards capital investment and Rs. 23	
	lacs/ annum as recurring cost.	

III. Operation Phase and Entire Life: Not applicable